IN THE CLAIMS

Please amend claims as follows:

1. (Previously Presented) A system comprising:

a wavelet-based image processing path to enhance an input image in a wavelet domain, wherein the processing path includes a unit to sharpen or smooth text and image regions of the image data corresponding to the input image; and

a print engine coupled to the processing path.

2. (Previously Presented) The system defined in Claim 1 wherein the image processing path comprises:

a forward wavelet transform;
one or more wavelet-based processing blocks; and

an inverse wavelet transform.

- 3. (Previously Presented) The system defined in Claim 2 wherein the forward wavelet transform comprises a critically sampled wavelet transform.
- 4. (Previously Presented) The system defined in Claim 2 wherein the forward wavelet transform comprises an overcomplete wavelet transform.
- 5. (Previously Presented) The system defined in Claim 2 wherein the forward wavelet transform comprises a Haar wavelet transform.

- 6. (Previously Presented) A system defined in Claim 2 wherein the forward wavelet transform comprises a 5,3 wavelet transform.
- 7. (Previously Presented) A system defined in Claim 2 wherein the forward wavelet transform comprises a 2,6 wavelet transform.
- 8. (Previously Presented) A system defined in Claim 2 wherein the forward wavelet transform comprises a complex wavelet transform.
- 9. (Previously Presented) A system defined in Claim 2 wherein the forward wavelet transform comprises a limited redundancy wavelet transform.

10 – 37 (Previously Cancelled)

- 38. (Previously Presented) The system defined in Claim 1 further comprising an input operable to receive the input image from an external source and a scanner for generating the input image, wherein the input and the scanner are coupled to the image processing path.
 - 39. (Previously Presented) A method comprising:

processing an input image by enhancing the input image, including applying a forward wavelet transform to create a plurality of coefficients and filtering coefficients with a coefficient domain operator in a wavelet domain, including sharpening or smoothing text and image data in the wavelet domain corresponding to the input image; and

outputting a processed image.

- 40. (Previously Presented) The method defined in Claim 39 further comprising: applying one or more wavelet-based processing blocks to coefficients resulting from applying the forward wavelet transform; and applying an inverse wavelet transform.
- 41. (Previously Presented) The method defined in Claim 40 wherein the forward wavelet transform comprises a critically sampled wavelet transform.
- 42. (Previously Presented) The method defined in Claim 40 wherein the forward wavelet transform comprises an overcomplete wavelet transform.
- 43. (Previously Presented) The method defined in Claim 40 wherein the forward wavelet transform comprises a Haar wavelet transform.
- 44. (Previously Presented) A system defined in Claim 40 wherein the forward wavelet transform comprises a 5,3 wavelet transform.
- 45. (Previously Presented) A system defined in Claim 40 wherein the forward wavelet transform comprises a 2,6 wavelet transform.

- 46. (Previously Presented) A system defined in Claim 40 wherein the forward wavelet transform comprises a complex wavelet transform.
- 47. (Previously Presented) A system defined in Claim 40 wherein the forward wavelet transform comprises a limited redundancy wavelet transform.
 - 48 83 (Previously Cancelled)
 - 84. (Currently Amended) A method comprising:

applying a forward wavelet transform to image data:

performing denoising by thresholding coefficients generated by applying the forward wavelet transform to generate denoised coefficients;

rescaling the denoised coefficients by with a level-dependent parameter to sharpen or smooth the denoised coefficients; and

filtering coefficients after thresholding rescaling.

- 85. (Previously Presented) The method defined in Claim 84 further comprising sampling the wavelet coefficients.
- 86. (Previously Presented) The method defined in Claim 84 further comprising applying an inverse wavelet transform on filtered coefficients.

87 – 118 (Previously Cancelled)

- 119. (Currently Amended) A copier having a wavelet-based image processing path for enhancing image data, wherein the processing path includes one or more <u>a</u> units to sharpen or smooth text and image regions of the image data corresponding to the image data.
- 120. (Previously Presented) A printer having a wavelet-based image processing path for enhancing image data, wherein the processing path includes one or more <u>a</u> units to sharpen or smooth text and image regions of the image data corresponding to the image data.
- 121. (Previously Presented) The system defined in Claim 1 wherein the image processing path further includes a classifier, the classifier to control reduction of image noise, smoothing of the image, and sharpening of the image.
- 122. (Previously Presented) The method defined in Claim 39 wherein the processing an in input image further includes applying a classifier to the plurality of coefficients prior to thresholding.
- 123. (Previously Presented) The method defined in Claim 84 further includes classifying the coefficients generated by the forward wavelet transform prior to denoising.